



## FE DE ERRORES

# Fe de errores de «Miocardiopatía inducida por taquicardia ventricular fascicular incesante»

## Erratum to the article “Cardiomyopathy induced by incessant fascicular ventricular tachycardia”

Enrique Velázquez-Rodríguez<sup>a,b,\*</sup>, Horacio Rodríguez-Piña<sup>a,b</sup>, Alex Pacheco-Bouthillier<sup>a,b</sup> y Luz María Deras-Mejía<sup>a,b</sup>

<sup>a</sup> Unidad de Electrofisiología, División de Cardiología, Hospital de Cardiología, Centro Médico Nacional Siglo XXI, Instituto Mexicano del Seguro Social, México, DF, México

<sup>b</sup> Curso de Posgrado de Alta Especialidad en Electrofisiología Cardíaca, Facultad de Medicina, Universidad Nacional Autónoma de México, México, DF, México

En el artículo *Cardiomyopathy induced by incessant fascicular ventricular tachycardia*. Arch Cardiol Mex. 2013;83:194-8 se ha detectado el siguiente error:

En el pie de la figura número 2, donde dice: (A) Electrograms during VT showing recordings from distal to proximal sites (LV1–2, LV9–10) of decapolar mapping catheter located along the left ventricular septum. Earliest Purkinje potential (PP, arrows) was recorded at apical sites and activation sequence was toward the basal sites (long dotted arrow). (B) Fluoroscopic view showing catheter electrode positions. I, aVF, V1, V5 ECG leads; HIS; His bundle; RV, right ventricle; LAO, left anterior oblique.

Debe decir: A. Fluoroscopic image in left anterior oblique view (LAO). Site of successful ablation in the region of left inferoseptal interventricular septum (Abl). B. Electrograms at successful site during VT. A Purkinje potential (PP, arrows) preceding –24 ms the onset of surface QRS. C. Successful radiofrequency catheter ablation at the PP recording site. Abl<sub>D</sub>, Abl<sub>P</sub>, distal and proximal pairs of the ablation catheter; A, atrial electrogram; RF, radiofrequency; RVA, right ventricular apex; V, ventricular electrogram. His, catheter in the His bundle region; RV, catheter in the right ventricle.

Véase contenido relacionado en DOI: <http://dx.doi.org/10.1016/j.acmx.2013.04.013>

\* Autor para correspondencia. Cuauhtémoc 330, col. Doctores CP 06725 México, D.F., México. Teléfono: +52(5)5627 6900x22076. Correo electrónico: [enve@prodigy.net.mx](mailto:enve@prodigy.net.mx) (E. Velázquez-Rodríguez).