



Video of the month

Robotic Right Colectomy With Complete Mesocolic Excision (CME) and D3 Lymphadenectomy With a Suprapubic Bottom-to-up Approach: Technical Key Points[☆]

Colectomía derecha robótica con escisión completa del mesocolon y linfadenectomía D3 mediante abordaje suprapúbico «bottom-to-up»: aspectos técnicos clave

Melody García Domínguez,^{a,b,*} Domenico Lo Conte,^b Alfredo Mellano,^b Dario Ribero^b

^aServicio de Cirugía General y del Aparato Digestivo, Hospital General San Jorge, Huesca, Spain

^bCandiolo Cancer Center — IRCCS, Candiolo, Torino, Italy




Fig. 1

We present the essential technical points of a robotic right colectomy with complete mesocolic excision (CME), central vascular ligation (CVL) and D3 lymphadenectomy performed with the da Vinci Xi robot®, using a suprapubic bottom-to-up approach (Appendix A, Video).

The placement of the trocars along a horizontal suprapubic line allows a frontal vision of the superior mesenteric vascular axis along with an optimal instruments' triangulation, making the separation of mesocolon from the posterior plane easier and a precise dissection of superior mesenteric vein and artery, middle colic artery and Henle's trunk with its branches (Fig. 1).

Appendix A. Supplementary Data

Supplementary material related to this article can be found, in the online version, at doi: <https://doi.org/10.1016/j.cireng.2020.06.006>.

[☆] Please cite this article as: García Domínguez M, Lo Conte D, Mellano A, Ribero D. Colectomía derecha robótica con escisión completa del mesocolon y linfadenectomía D3 mediante abordaje suprapúbico «bottom-to-up»: aspectos técnicos clave. Cir Esp. 2020;98:482.

* Corresponding author.

E-mail address: melodygarciaominguez90@gmail.com (M. García Domínguez).