



CIRUGÍA ESPAÑOLA

www.elsevier.es/cirugia



Video of the month

Distal pancreatectomy with splenectomy and Puestow's lateral pancreaticojejunostomy in chronic pancreatitis

Pancreatectomía distal con esplenectomía y pancreático-yejunostomía lateral s.t. Puestow en pancreatitis crónica

Laura Sobrerroca Porras,* Eric Herrero Fonollosa, Judith Camps Lasa, María Isabel García-Domingo, Esteban Cugat Andorrà

Unidad de Cirugía Hepatobiliopancreática, Servicio de Cirugía General y Digestiva, Hospital Universitari Mútua Terrassa, Terrassa, Barcelona, Spain

Chronic pancreatitis is a disabling disease that presents as abdominal pain, weight loss and malnutrition secondary to malabsorption of nutrients due to exocrine pancreatic insufficiency (EPI). We present the case of a patient diagnosed with chronic idiopathic calcifying pancreatitis with dilatation of the duct of Wirsung, EPI and segmental portal hypertension secondary to splenic vein thrombosis, who required surgical treatment by distal pancreatectomy, splenectomy, and Puestow's longitudinal pancreaticojejunostomy. We believe that it may be of interest to learn about the surgical treatment of

these patients, in case of failure of endoscopic treatment, as these are uncommon procedures.

Appendix A. Supplementary data

Supplementary material related to this article can be found, in the online version, at doi:<https://doi.org/10.1016/j.ciresp.2021.10.022>.

* Corresponding author.

E-mail address: laura.sobrerroca@gmail.com (L. Sobrerroca Porras).